

### AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A printing service system comprising a printing service apparatus for providing a service of printing a composite image generated from an image and characters, and a user terminal connected to the printing service apparatus via a network for using the printing service,

the printing service apparatus comprising template storage means for storing templates used for generating the composite image and template sending means for reading one of the templates from the template storage means according to a template transfer request from the user terminal and for sending the template to the user terminal,

the user terminal comprising character input means for inputting the characters to be used for generating the composite image according to the template sent thereto, and for sending the characters to the printing service apparatus,

the printing service apparatus further comprising composite image generation means for generating the composite image from the characters received from the user terminal and the image according to the template, and image data sending means for generating data of the composite image and sending the composite image data to the user terminal, wherein

the printing service apparatus further comprises:

instruction page data sending means for sending, to the user terminal, data of an instruction page for enabling the user terminal to specify enlargement of the characters ~~input from the user terminal~~ in the composite image, and

enlargement sending means for generating enlargement data of the characters specified by the user terminal and for sending the enlargement data to the user terminal.

2. (Original) The printing service system according to Claim 1, wherein  
the character input means of the user terminal sends the characters in the form of  
character codes to the printing service apparatus and  
the composite image generation means of the printing service apparatus has a Japanese  
character conversion program for converting the character codes received from the user terminal  
into the characters to be used for generation of the composite image.

3. (Currently Amended) A printing service apparatus connected via a network to a user  
terminal for using a service of printing a composite image generated from an image and  
characters, the printing service apparatus comprising:

template storage means for storing templates used for generating the composite image;

template sending means for reading one of the templates from the template storage means  
according to a template transfer request from the user terminal and for sending the template to  
the user terminal;

composite image generation means for receiving the characters input from the user  
terminal to be used for generating the composite image and for generating the composite image  
from the characters and the image according to the template;

image data sending means for generating image data representing the composite image  
generated by the composite image generation means and for sending the image data to the user  
terminal, wherein

the printing service apparatus further comprises:

instruction page data sending means for sending, to the user terminal, data of an instruction page that enables the user terminal to specify enlargement of the characters ~~input from the user terminal~~ in the composite image; and

enlargement sending means for generating enlargement data representing the characters whose enlargement was specified by the user terminal and for sending the enlargement data to the user terminal.

4. (Original) The printing service apparatus according to Claim 3, the composite image generation means having a Japanese character conversion program for converting character codes into characters, whereby

the composite image generation means receives the characters input from the user terminal in the form of character codes, and converts the character codes into the characters to be used for generation of the composite image according to the Japanese character conversion program.

5. (New) A method for providing a service of printing a composite image generated from an image and characters, said method comprising:

storing templates used for generating the composite image;

reading one of the stored templates according to a template transfer request received from a user terminal via a network;

sending the template from a printing service apparatus to the user terminal via the network, the user terminal inputting the characters to be used for generating the composite image

according to the template sent thereto and sending the characters to the printing service apparatus;

generating the composite image from the characters received from the user terminal and the image according to the template;

generating data of the composite image and sending the composite image data to the user terminal;

sending, to the user terminal, data of an instruction page for enabling the user terminal to specify enlargement of the characters in the composite image; and

generating enlargement data of the characters specified by the user terminal and sending the enlargement data to the user terminal.

6. (New) The method according to Claim 5, wherein

the user terminal sends the characters in the form of character codes to the printing service apparatus; and

the printing service apparatus has a Japanese character conversion program for converting the character codes received from the user terminal into the characters to be used for generation of the composite image.

7. (New) A method for providing a service of printing a composite image generated from an image and characters, said method comprising:

storing templates used for generating the composite image;

reading one of the stored templates according to a template transfer request received from a user terminal via a network;

sending the template from a printing service apparatus to the user terminal;

receiving characters input from the user terminal to be used for generating the composite image;

generating the composite image from the characters and the image according to the template;

generating image data representing the composite image and sending the image data to the user terminal;

sending, to the user terminal, data of an instruction page that enables the user terminal to specify enlargement of the characters in the composite image; and

generating enlargement data representing the characters whose enlargement was specified by the user terminal and sending the enlargement data to the user terminal.

8. (New) The method according to Claim 5, wherein

the printing service apparatus has a Japanese character conversion program for converting character codes into characters, whereby

the printing service apparatus receives the characters input from the user terminal in the form of character codes, and converts the character codes into the characters to be used for generation of the composite image according to the Japanese character conversion program.